



In certain applications, installing cable glands directly on enclosure or equipment wall surfaces is not possible. In such situations Brass Lock Nuts are used to secure cable glands.

Technical Details :	
Material	Brass, Nickel Plated
Threads available	Pg, Metric, NPT

BRASS LOCK NUTS

Pg Threads

For Gland Size	Cat. No.	(mm)	Height (mm)	Standard Pack (pieces)
Pg 7	BSL-01	15	2.8	50
Pg 9	BSL-02	18	2.8	50
Pg 11	BSL-03	21	3.0	50
Pg 13.5	BSL-04	23	3.0	50
Pg 16	BSL-05	26	3.0	25
Pg 21	BSL-06	32	3.5	25
Pg 29	BSL-07	41	4.0	20
Pg 36	BSL-08	51	5.0	15
Pg 42	BSL-09	60	5.0	12
Pg 48	BSL-10	64	5.5	12

Metric Threads

For Gland Size	Cat. No.	(mm)	Height (mm)	Standard Pack (pieces)
M 12 x 1.5	BMBL-01	15	2.8	50
M 16 x 1.5	BMBL-02	19	3.0	50
M 20 x 1.5	BMBL-03	24	3.5	50
M 25 x 1.5	BMBL-04	30	4.0	25
M 32 x 1.5	BMBL-05	36	5.0	25
M 40 x 1.5	BMBL-06	46	5.0	20
M 50 x 1.5	BMBL-07	60	5.0	15
M 63 x 1.5	BMBL-08	70	5.0	12

NPT Threads

For Gland Size	Cat. No.	(mm)	Height (mm)	Standard Pack (pieces)
NPT 3/8"	BPFL-01	22	5	50
NPT 1/2"	BPFL-02	27	5	50
NPT 3/4"	BPFL-03	33	5	50
NPT 1"	BPFL-04	43	5	25